1996 Experimental Techniques Title & Author Index

Title Index

Advantages of Experimental Research Over Theoretical Models in the Field of Metal Cutting — J. Kopac and S. Dolinsek, 24-28 (May/Jun).

Bonding Methods for Strain Gages on Polypropylene Material — T.-M. Chu, A.N. Gent, S. Sukthankar and N.P. Reddy, 29 (Sep/Oct).

Comments on "Application of High Resolution Geomtric Moiré Method to Fracture Problems" — J.M. Huntley, 25-26 (Nov/Dec).

Comments on "A Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift" — P.A.A. Laura and J.C. Paloto, 15 (Nov/Dec).

Determination of Crack-tip Parameters from Thermoelastic Data, The — P. Stanley and J.M. Dulieu-Smith, 21-23 (Mar/Apr).

Determining the Central Principal Inertia Dyadic of a Golf Club Head — M.J. Twigg and J.H. Butler, 13-17 (Sep/Oct).

Development of a Load Cell for Force Measurements Subject to Flow Interferences — T.K. Woon, 25-28 (Sep/Oct).

Differential-cross-multiplier Demodulation of Interferometric Optical Fiber Sensors — C.C. Chang and J.S. Sirkis, 29-32 (May/Jun).

Dynamic Stress Analysis of Gas Turbine Rotor Airfoils Using Thermoelastic Techniques — T.E. Purcell, 9-13 (May/Jun).

Elastic Moduli for F.E.A./F.E.M. from Ultrasonic Velocity — E.P. Papadakis, C.A. Stickels and R.C. Innes, 21-24 (Jul/Aug).

Elevated-temperature TSA Furnace Design, An — J. Lesniak and B. Bartel, 10-13 (Mar/Apr).

Experimental Validation of a Methodology to Quantify Distributed Damage in Laminated Composites Using the Thermoelastic Effect — B. Mahoney, 28-31 (Mar/Apr).

Fiber Optic Polarimetric Dynamic Force Sensor — F. Ansari and J. Wang, 20-23 (Jan/Feb).

Fringe-pattern Analysis by Phase-shifting Method Using Extraction of Characteristics — Y. Morimoto and M. Fujisawa, 25-29 (Jul/Aug).

Generating and Recording Transient Bending Waves in Plates by Pulsed Lasers — K.-E. Fällström, K. Olofsson, I. Sarady and A. Wahlin, 15-19 (Jan/Feb).

Hybrid Technique for Compression Testing at Intermediate Strain Rates, A — M.M. LeBlanc and D.H. Lassila, 21-24 (Sep/Oct).

Integration of Vibration Testing and Finite-element Analysis for Estimating Dynamic Mechanical Properties of Cantilever-beam Samples — S. Yang and R.F. Gibson, 21-24 (Nov/Dec).

Low-cost Automatic System for Machining Photoelastic Specimens, A — J.T. Moura and J.T.P. de Castro, 11-15 (Jul/Aug).

Measurement of Dynamic Mechanical Properties of Advanced Ceramics and Ceramic Matrix Composites at Temperatures Above 1000 -deg C — S. Yang, R.F. Gibson, G.M. Crosbie and R.L. Allor, 20-23 (May/Jun).

Mechanical Glass Fuse for Linear Displacement Transducer — R.W.L. Fong, K.W. Kidd, B.L. Wotton and J.R. Theaker, 19-20 (Sep/Oct).

New Biaxial Bending Test on Oval Sandwich Plates, A — W. Zhang and A.G. Gibson, 27-30 (Jan/Feb).

New Experimental Technique for Modeling of a Micro-Heterogeneous Media, A — E. Ivanova, A. Chudnovsky, S. Wu and K. Sehanobish, 11-13 (Nov/Dec).

New Grid-making Technique for Moiré Fringe Method, A — M. Çelik and Ö.G. Bilir, 9-11 (Sep/Oct).

On the Construction of a Simply Supported Rectangular Plate for Noise and Vibration Studies — Y. Champoux, S. Brunet and A. Berry, 24-26 (Jan/Feb).

Residual Stress Analysis by Local Laser Heating and Speckle-correlation Interferometry — C.S. Vikram, M.J. Pechersky, C. Feng and D. Engelhaupt, 27-30 (Nov/Dec).

Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites . — M. Ceretti, C. Braham, J.L. Lebrun and J.P. Bonnafe, M. Perrin and A. Lodini, 14-18 (May/Jun).

Thermal Infrared Analysis of Plastics Under Monoaxial Loads — E. Guglielmino, G. LaRosa and S.M. Oliveri, 9-13 (Jan/Feb).

Thermomechanical Technique for Measuring Residual Stress — N. Rajic, A.K. Wong and Y.C. Lam, 25-27 (Mar/Apr).

Three Dimensional Measurements on Small Cracks — J.Z. Pan, 17-20 (Jul/Aug).

Use of Thermoelasticity to Evaluate Stress Redistribution and Notch Sensitivity in Ceramic Matrix Composites, The — T.J. Mackin and T.E. Purcell, 15-20 (Mar/Apr).

Vibration Mode Shape Identification by Digital Speckle Correlation (DISC) — N. Zhu and F.P. Chiang, 17-19 (Nov/Dec).

Author Index

Allor, R.L. — Measurement of Dynamic Mechanical Properties of Advanced Ceramics and Ceramic Matrix Composites at Temperatures Above 1000°C, 20-23 (May/Jun).

Ansari, F. — Fiber Optic Polarimetric Dynamic Force Sensor, 20-23 (Jan/Feb).

Bartel, B. — Elevated-temperature TSA Furnace Design, An, 10-13 (Mar/Apr).

Berry, A. — On the Construction of a Simply Supported Rectangular Plate for Noise and Vibration Studies, 24-26 (Jan/Feb).

Bilir, Ö.G. — New Grid-making Technique for Moiré Fringe Method, A, 9-11 (Sep/Oct).

Bonnafe, J.P. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Braham, C. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Brunet, S. — On the Construction of a Simply Supported Rectangular Plate for Noise and Vibration Studies, 24-26 (Jan/Feb).

Butler, J.H. — Determining the Central Principal Inertia Dyadic of a Golf Club Head, 13-17 (Sep/Oct).

Çelik, M. — New Grid-making Technique for Moiré Fringe Method, A, 9-11 (Sep/Oct).

Ceretti, M. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Champoux, Y. — On the Construction of a Simply Supported Rectangular Plate for Noise and Vibration Studies, 24-26 (Jan/Feb).

Chang, C.C. — Differential-cross-multiplier Demodulation of Interferometric Optical Fiber Sensors, 29-32 (May/Jun).

Chiang, F.P. — Vibration Mode Shape Identification by Digital Speckle Correlation (DISC), 17-19 (Nov/Dec).

Chu, T.-M. — Bonding Methods for Strain Gages on Polypropylene Material, 29 (Sep/Oct).

Chudnovsky, A. — New Experimental Technique for Modeling of a Micro-Heterogeneous Media, A, 11-13 (Nov/Dec).

Crosbie, G.M. — Measurement of Dynamic Mechanical Properties of Advanced Ceramics and Ceramic Matrix Composites at Temperatures Above 1000 -deg C, 20-23 (May/Jun).

de Castro, J.T.P. — Low-cost Automatic System for Machining Photoelastic Specimens, A, 11-15 (Jul/Aug).

Dolinsek, S. — Advantages of Experimental Research Over Theoretical Models in the Field of Metal Cutting, 24-28 (May/Jun).

Dulieu-Smith, J.M. — Determination of Crack-tip Parameters from Thermoelastic Data, The, 21-23 (Mar/Apr).

Engelhaupt, D. — Residual Stress Analysis by Local Laser Heating and Speckle-correlation Interferometry, 27-30 (Nov/Dec).

Fällström, K.-E. — Generating and Recording Transient Bending Waves in Plates by Pulsed Lasers, 15-19 (Jan/Feb).

Feng, C. — Residual Stress Analysis by Local Laser Heating and Speckle-correlation Interferometry, 27-30 (Nov/Dec).

1996 Experimental Techniques Title & Author Index

Fong, R.W.L. — Mechanical Glass Fuse for Linear Displacement Transducer, 19-20 (Sep/Oct).

Fujisawa, M. — Fringe-pattern Analysis by Phase-shifting Method Using Extraction of Characteristics, 25-29 (Jul/Aug).

Gent, A.N. — Bonding Methods for Strain Gages on Polypropylene Material, 29 (Sep/Oct).

Gibson, A.G. — New Biaxial Bending Test on Oval Sandwich Plates, A, 27-30 (Jan/Feb).

Gibson, R.F. — Integration of Vibration Testing and Finite-element Analysis for Estimating Dynamic Mechanical Properties of Cantilever-beam Samples, 21-24 (Nov/Dec).

Gibson, R.F. — Measurement of Dynamic Mechanical Properties of Advanced Ceramics and Ceramic Matrix Composites at Temperatures Above 1000 -deg C, 20-23 (May/Jun).

Guglielmino, E. — Thermal Infrared Analysis of Plastics Under Monoaxial Loads, 9-13 (Jan/Feb).

Huntley, J.M. — Comments on "Application of High Resolution Geomtric Moiré Method to Fracture Problems," 25-26 (Nov/Dec).

Innes, R.C. — Elastic Moduli for F.E.A./F.E.M. from Ultrasonic Velocity, 21-24 (Jul/Aug).

Ivanova, E. — New Experimental Technique for Modeling of a Micro-Heterogeneous Media, A, 11-13 (Nov/Dec).

Kidd, K.W. — Mechanical Glass Fuse for Linear Displacement Transducer, 19-20 (Sep/Oct).

Kopac, J. — Advantages of Experimental Research Over Theoretical Models in the Field of Metal Cutting, 24-28 (May/Jun).

Lam, Y.C. — Thermomechanical Technique for Measuring Residual Stress, 25-27 (Mar/Apr).

LaRosa, G. — Thermal Infrared Analysis of Plastics Under Monoaxial Loads, 9-13 (Jan/Feb).

Lassila, D.H. — Hybrid Technique for Compression Testing at Intermediate Strain Rates, A, 21-24 (Sep/Oct).

Laura, P.A.A. — Comments on "A Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift," 15 (Nov/Dec).

LeBlanc, M.M. — Hybrid Technique for Compression Testing at Intermediate Strain Rates, A, 21-24 (Sep/Oct).

Lebrun, J.L. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Lesniak, J. — Elevated-temperature TSA Furnace Design, An, 10-13 (Mar/Apr).

Lodini, A. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Mackin, T.J. — Use of Thermoelasticity to Evaluate Stress Redistribution and Notch Sensitivity in Ceramic Matrix Composites, The, 15-20 (Mar/Apr).

Mahoney, B. — Experimental Validation of a Methodology to Quantify Distributed Damage in Laminated Composites Using the Thermoelastic Effect, 28-31 (Mar/Apr).

Morimoto, Y. — Fringe-pattern Analysis by Phase-shifting Method Using Extraction of Characteristic, 25-29 (Jul/Aug).

Moura, J.T. — Low-cost Automatic System for Machining Photoelastic Specimens, A, 11-15 (Jul/Aug).

Oliveri, S.M. — Thermal Infrared Analysis of Plastics Under Monoaxial Loads, 9-13 (Jan/Feb).

Olofsson, K. — Generating and Recording Transient Bending Waves in Plates by Pulsed Lasers, 15-19 (Jan/Feb).

Paloto, J.C. — Comments on "A Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift," 15 (Nov/Dec).

Filter This...



To Your A/D Board

Software Controlled Analog Filters from Onsite Instruments

PREVENT ALIASING AND SMOOTH DATA

- 16-Channels of 135 dB/Octave Low-Pass Filters
- Cut-Off Variable from 1 Hz to 25 KHz
- PC AT / XT card size
- 16-Single-Ended or Differential Input Channels
- Gains of 1, 10, 100, 1000
- AC or DC Coupling

The TECHFILTER™ is compatible with MetraByte, Data Translation and all major A/D boards.

Onsite Instruments, Inc.
230 East Caribbean Drive
Sunnyvale, CA 94089
(408) 752-1640 • FAX (408) 752-1625

MICROSECOND RESPONSE THERMOCOUPLES

For surface temperature applications, such as:

Internal Surface Temperatures ● Pressure Vessels ● Re-entry Heat Shields ● Ablation Studies ● Shock Tubes ● ● Wind Tunnels ● Rocket Nozzles ● Bearings ● ● Rotating Shafts ● Drums, etc ● Piston Ring Temperatures ● Gun Barrels ● Internal Combustion Engine Walls ● Materials Evaluation ● ● Heat Transfer ● Hot Moving Wires and Rods ● Metal Extrusions ● Stampings ● Plastic Extrusion ● Injection Molds ● ● Friction Tests ● Boundary Layers ● Automotive Brake Bands ● Glass Molding ● Zinc Die Casting ● ● High Velocity Gases ●

Complete details in Section E of our Handbook. Ask for it. It's FREE!

SEND FOR **FREE**

TEMPERATURE MEASUREMENT HANDBOOK/CATALOG

● Over 225 pages ● More than 9000 products ● Complete ANSI Calibration tables ● 16 pages of application notes ● 7 technical articles on transient Temperature Applications and Heat Transfer ● Industrial Research and Aerospace Data Included ●

Write or Call 1 (800) 758-3932

NANMAC CORPORATION
Foremost in Temperature Measurement

9-11 Mayhew St., Framingham Ctr., MA 01701-USA

1996 Experimental Techniques Title & Author Index

Pan, J.Z. — Three Dimensional Measurements on Small Cracks, 17-20 (Jul/Aug).

Papadakis, E.P. — Elastic Moduli for F.E.A./F.E.M. from Ultrasonic Velocity, 21-24 (Jul/Aug).

Pechersky, M.J. — Residual Stress Analysis by Local Laser Heating and Speckle Correlation Interferometry, 27-30 (Nov/Dec).

Perrin, M. — Residual Stress Analysis by Neutron and X-ray Diffraction Applied to the Study of Two Phase Materials: Metal Matrix Composites, 14-18 (May/Jun).

Purcell, T.E. — Dynamic Stress Analysis of Gas Turbine Rotor Airfoils Using Thermoelastic Techniques, 9-13 (May/Jun).

Purcell, T.E. — Use of Thermoelasticity to Evaluate Stress Redistribution and Notch Sensitivity in Ceramic Matrix Composites, The, 15-20 (Mar/Apr).

Rajic, N. — Thermomechanical Technique for Measuring Residual Stress, 25-27 (Mar/Apr).

Reddy, N.P. — Bonding Methods for Strain Gages on Polypropylene Material, 29 (Sep/Oct).

Sarady, I. — Generating and Recording Transient Bending Waves in Plates by Pulsed Lasers, 15-19 (Jan/Feb).

Sehanobish, K. — New Experimental Technique for Modeling of a Micro-Heterogeneous Media, A, 11-13 (Nov/Dec).

Sirkis, J.S. — Differential-cross-multiplier Demodulation of Interferometric Optical Fiber Sensors, 29-32 (May/Jun).

Stanley, P. — Determination of Crack-tip Parameters from Thermoelastic Data, The, 21-23 (Mar/Apr).

Stickels, C.A. — Elastic Moduli for F.E.A./F.E.M. from Ultrasonic Velocity, 21-24 (Jul/Aug).

Sukthankar, N.P. — Bonding Methods for Strain Gages on Polypropylene Material, 29 (Sep/Oct).

Theaker, J.R. — Mechanical Glass Fuse for Linear Displacement Transducer, 19-20 (Sep/Oct).

Twigg, M.J. — Determining the Central Principal Inertia Dyadic of a Golf Club Head, 13-17 (Sep/Oct).

Vikram, C.S. — Residual Stress Analysis by Local Laser Heating and Speckle-correlation Interferometry, 27-30 (Nov/Dec).

Wahlin, A. — Generating and Recording Transient Bending Waves in Plates by Pulsed Lasers, 15-19 (Jan/Feb).

Wang, J. — Fiber Optic Polarimetric Dynamic Force Sensor, 20-23 (Jan/Feb).

Wong, A.K. — Thermomechanical Technique for Measuring Residual Stress, 25-27 (Mar/Apr).

Woon, T.K. — Development of a Load Cell for Force Measurements Subject to Flow Interferences, 25-28 (Sep/Oct).

Wotton, B.L. — Mechanical Glass Fuse for Linear Displacement Transducer, 19-20 (Sep/Oct).

Wu, S. — New Experimental Technique for Modeling of a Micro-Heterogeneous Media, A, 11-13 (Nov/Dec).

Yang, S. — Integration of Vibration Testing and Finite Element Analysis for Estimating Dynamic Mechanical Properties of Cantilever-beam Samples, 21-24 (Nov/Dec).

Yang, S. — Measurement of Dynamic Mechanical Properties of Advanced Ceramics and Ceramic Matrix Composites at Temperatures Above 1000 -deg C, 20-23 (May/Jun).

Zhang, W. — New Biaxial Bending Test on Oval Sandwich Plates, A, 27-30 (Jan/Feb).

Zhu, N. — Vibration Mode Shape Identification by Digital Speckle Correlation (DISC), 17-19 (Nov/Dec).

TAKE A CLOSER LOOK AT MODAL EXCITERS



Like an ICEBERG...
There's more to using *and* buying Modal Exciters than meets the eye... misjudging modal testing applications can be fraught with unforeseen hazards that contaminate data... and miscalculating *"hidden"* costs can be risky.

The principals of MB DYNAMICS (SDRC alumni) have helped *hundreds* of new and experienced modal testers get *valid* modal data faster! Choose MB and access the 60+ years of dynamic testing experience and applications know-how which designed the industry standards: the MODAL 50 (50 lbf pk) and the MODAL 250 (250 lbf pk). Choose MB and get everything you need at once – no *'hidden costs'!*

25865 Richmond Road, Cleveland, OH 44146
Phone: 216/292-5850 Fax: 216/292-5614

MB Dynamics Innovating and Delivering Solutions ...Vibration and Shock

Visit us at IMAC-XV - Booth 319

Introducing...

The Most Cost-Effective Solution forNoise & Vibration Applications



The **SoMat Model 2500** with state of the art software for doing time, frequency, and dynamic analysis under Windows® 95 — **SoMat EASE** — provides the most cost-effective solution that combines performance, ease of set-up, and timely results. Seamless integration with Microsoft® Office provides unprecedented productivity and flexibility to get the job done, saving you time and money.

To find out more, contact SoMat Corp. at (810)-299-0610 or send email to info@somat.com.

SOMAT ...*when timely results matter!*

Visit us at IMAC-XV - Booth 104